Exhibit 112 Part 2

M70484-001HLM-006 Chrysotile Crossed Polars


M70484-001HLM-006 Chrysotile
Polarizer out
Aperture Diaphram 95% closed
1.550 R.I. @ 400X


70.4µm
M70484-001HLM-007 Chrysotile Parallel Dispersion 1.550 R.I. @ 100X


M70484-001HLM-007 Chrysotile Perpendicular Dispersion



M70484-001HLM-007 Chrysotile Elongation @ 400X

M70484-001HLM-007 Chrysotile Crossed Polars


M70484-001HLM-007 Chrysotile
Polarizer out
Aperture Diaphram 95% closed
1.550 R.I. @ 400X


49.6µm
M70484-001HLM-008 Chrysotile
Parallel Dispersion
1.550 R.I. @ 100X


M70484-001HLM-008 Chrysotile
Perpendicular Dispersion



M70484-001HLM-008 Chrysotile Elongation @ 400X



M70484-001HLM-008 Chrysotile Crossed Polars


M70484-001HLM-008 Chrysotile
Polarizer out
Aperture Diaphram 95% closed
1.550 R.I. @ 400X

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M70484-001		Grid Box #	8668	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	G. O. Area
Date of Analysis	7/23/2019 - 7/24/2019		G. O. in microns =	105	105	11025
Initial Weight(g)	0.03180			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	G.O.s Counted	100
3	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	E3-A1							
NSD	A2							
NSD	A3							
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	A10							
NSD	C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							
NSD	F1							
NSD	F2							
NSD	F3							
NSD	F6							
NSD	F7							
NSD	F8							
NSD	F9							
NSD	F10							
NSD	H4							
NSD	H5							
NSD	H6							
NSD	H7							
NSD	H8							
NSD	H9							
NSD	H10							
NSD	I4							
NSD	I5							
NSD	I6							
NSD	I7							
NSD	I8							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M70484-001		Grid Box #	8668	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	**G. O. Area**
Date of Analysis	7/23/2019 - 7/24/2019		G. O. in microns =	105	105	11025
Initial Weight(g)	0.03180			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	**Average**	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	**G.O.s Counted**	100
3	Screen Magnification	20 KX	**Area Examined mm²**			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	E4-B1							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	B10							
NSD	C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	F1							
NSD	F2							
NSD	F3							
NSD	F4							
NSD	F5							
NSD	F6							
NSD	F7							
NSD	F8							
NSD	F9							
NSD	F10							
NSD	G1							
NSD	G2							
NSD	G3							
NSD	G4							
NSD	G5							
NSD	G6							
NSD	G7							
NSD	G8							
NSD	G9							
NSD	G10							
NSD	I1							
NSD	I2							
NSD	I3							
NSD	I4							
NSD	I5							
NSD	I6							
NSD	I7							
NSD	I8							
NSD	I9							
NSD	I10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M70484-001		Grid Box #	8668	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	**G. O. Area**
Date of Analysis	7/23/2019 - 7/24/2019		G. O. in microns =	105	105	11025
Initial Weight(g)	0.03180			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	**Average**	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	**G.O.s Counted**	100
3	Screen Magnification	20 KX	**Area Examined mm²**			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS

Org. Sample Wt.	Sample Wt. Post HL Separation	
0.03180	0.03180	g
Percent of Orig. Post Separation	100	(%)

Wt. Of Sample Analyzed	0.00017434	g
Filter size	201.1	mm²
Number of Structures Counted	0	Str.
Structures per Gram of Sample	<5,740	Str./g

Detection Limit	5.74E+03	Str./g
Analytical Sensitivity	5.74E+03	Str./g

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M70484-001		Grid Box #	8668	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	**G.O. Area**
Date of Analysis	7/23/2019 - 7/24/2019		G. O. in microns =	105	105	105
Initial Weight(g)	0.03180			105	105	105
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	**Average**	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	**G.O.s Counted**	100
3	Screen Magnification	20 KX	**Area Examined mm²**			1.103

Str. #	Grid Opening	Str./Asb. Type	Length	Width	Ratio	SAED	EDS
NSD	E3-A1					No fibrous talc observed	

Section 4


M70484 - 2
SGP 445997
CLINICALLY
mildness
PROVEN
Johnson's
baby
powder
silky soft skin
Johnson & Johnson
Net wt. 1.5 Oz. (42 g)
30027578


M70484 - 2
SGP 445997


M70484 - 2
SGP 445997
[redacted]


M70484 - 2
SGP 445997
1045RA
We love babies.
JOHNSON'S® Baby Powder leaves skin feeling delicately soft and dry while providing soothing relief.
SAFETY TIP: Keep out of reach of children.
WARNING: Keep powder away from child's face to avoid inhalation, which can cause breathing problems. Avoid contact with eyes. For external use only. Close tightly after use.
Ingredients: Talc, Fragrance
3 8137-003001 0
©J&J CCI 2014
Distributed in the US by:
JOHNSON & JOHNSON CONSUMER PRODUCTS COMPANY
Division of Johnson & Johnson Consumer Companies, Inc. Skillman, NJ 08558-9418
Talc Made in China
Questions? 866-JNJ-BABY; Outside US, dial collect 215-273-8755 www.johnsonsbaby.com
30027477

M70484 - 2
SGP 445997
[redacted]

M70484 - 2
SGP 445997
[redacted]

MAS, LLC
PLM ANALYSIS

Proj#-Spl# M70484 - 002BL **Analyst** Paul Hess **Date** 6/19/2019

ClientName Simon Greenstone Panatier Bartlett **ClientSpl** SGP 445997

Location

Type_Mat Johnson & Johnson Baby Powder 1.5oz

Gross Visual Off-white debris on slide **% of Sample** 100

OPTICAL DATA FOR ASBESTOS IDENTIFICATION

Morphology			
Pleochroism			
Refract Index			
Sign^			
Extinction			
Birefringence			
Melt			
Fiber Name			

ASBESTOS MINERALS	**EST. VOL. %**
	NO ASBESTOS OBSERVED
Chrysotile.....	
Amosite.....	
Crocidolite.....	
Tremolite/Actinolite.....	
Anthophyllite.....	

OTHER FIBROUS COMPONENTS

Talc -B/Y DS in 1.55	***

NON FIBROUS COMPONENTS

Opaques	X
Talc	X
Mineral grains	X

Binder Description

Comments X = Materials detected. *** Moderate amount of Fibrous Talc observed.

The method detection limit is 1% unless otherwise stated.

MAS, LLC
PLM ANALYSIS

Proj#-Spl# M70484 - 002ISO **Analyst** Paul Hess **Date** 6/17/2019
ClientName Simon Greenstone Panatier Bartlett **ClientSpl** SGP 445997
Location
Type_Mat Johnson & Johnson Baby Powder 1.5oz

Gross Visual Off-white powder **% of Sample** 100

OPTICAL DATA FOR ASBESTOS IDENTIFICATION

Morphology			
Pleochroism			
Refract Index			
Sign^			
Extinction			
Birefringence			
Melt			
Fiber Name			

ASBESTOS MINERALS	**EST. VOL. %**
	NO ASBESTOS OBSERVED
Chrysotile.....	
Amosite.....	
Crocidolite.....	
Tremolite/Actinolite.....	
Anthophyllite.....	

OTHER FIBROUS COMPONENTS

Talc -B/Y DS in 1.55	***

NON FIBROUS COMPONENTS

Opaques	X
Talc	X
Mineral grains	X

Binder Description

Comments X = Materials detected. *** Abundant Fibrous Talc observed.

The method detection limit is 1% unless otherwise stated.

MAS, LLC
PLM ANALYSIS

Proj#-Spl# M70484 - 002HLM **Analyst** Paul Hess **Date** 2/22/2020

ClientName Simon Greenstone Panatier Bartlett **ClientSpl** SGP 445997

Location

Type_Mat Johnson & Johnson Baby Powder 1.5oz

Gross Visual White debris on filter **% of Sample** 100

OPTICAL DATA FOR ASBESTOS IDENTIFICATION

Morphology	wavy		
Pleochroism	none		
Refract Index	1.561/1.552		
Sign^	positive		
Extinction	parallel		
Birefringence	low		
Melt	no		
Fiber Name	Chrysotile		

ASBESTOS MINERALS	**EST. VOL. %**
Chrysotile.....	0.001 to 0.01
Amosite.....	
Crocidolite.....	
Tremolite/Actinolite.....	
Anthophyllite.....	

OTHER FIBROUS COMPONENTS

Talc -B/Y DS in 1.55	***

NON FIBROUS COMPONENTS

Opaques	X
Talc	X
Mineral grains	X

Binder Description

Comments Chrysotile asbestos observed. X = Materials detected. *** Moderate amount of Fibrous Talc observed.

The method detection limit is 1% unless otherwise stated.


58.5µm
M70484-002HLM-001 Chrysotile-Talc
Parallel Dispersion
1.550 R.I. @ 100X


M70484-002HLM-001 Chrysotile-Talc
Perpendicular Dispersion


M70484-002HLM-001 Chrysotile-Talc
Elongation @ 400X

M70484-002HLM-001 Chrysotile-Talc
Crossed Polars


M70484-002HLM-001 Chrysotile-Talc
Polarizer out
Aperture Diaphram 95% closed
1.550 R.I. @ 400X


78.5µm
M70484-002HLM-002 Chrysotile-Talc
Parallel Dispersion
1.550 R.I. @ 100X


M70484-002HLM-002 Chrysotile-Talc
Perpendicular Dispersion



M70484-002HLM-002 Chrysotile-Talc Elongation @ 400X



M70484-002HLM-002 Chrysotile-Talc
Crossed Polars


M70484-002HLM-002 Chrysotile-Talc
Polarizer out
Aperture Diaphram 95% closed
1.550 R.I. @ 400X


79.3µm
M70484-002HLM-003 Chrysotile-Talc
Parallel Dispersion
1.550 R.I. @ 100X


M70484-002HLM-003 Chrysotile-Talc
Perpendicular Dispersion


M70484-002HLM-003 Chrysotile-Talc
Elongation @ 400X


M70484-002HLM-003 Chrysotile-Talc
Crossed Polars


M70484-002HLM-003 Chrysotile-Talc
Polarizer out
Aperture Diaphram 95% closed
1.550 R.I. @ 400X

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M70484-002		Grid Box #	8668	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	**G. O. Area**
Date of Analysis	7/29/2019		G. O. in microns =	105	105	11025
Initial Weight(g)	0.03048			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	**Average**	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	**G.O.s Counted**	100
3	Screen Magnification	20 KX	**Area Examined mm²**			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	D3-A2							
NSD	A3							
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	A10							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							
NSD	F1							
NSD	F2							
NSD	F3							
NSD	F4							
NSD	F5							
NSD	F6							
NSD	F7							
NSD	F8							
NSD	F9							
NSD	F10							
NSD	H1							
NSD	H2							
NSD	H3							
NSD	H4							
NSD	H5							
NSD	H6							
NSD	H7							
NSD	H8							
NSD	H9							
NSD	H10							
NSD	I1							
NSD	I2							
NSD	I3							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M70484-002		Grid Box #	8668	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	**G. O. Area**
Date of Analysis	7/29/2019		G. O. in microns =	105	105	11025
Initial Weight(g)	0.03048			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	**Average**	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	**G.O.s Counted**	100
3	Screen Magnification	20 KX	**Area Examined mm²**			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	D4-B1							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	B10							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							
NSD	G1							
NSD	G2							
NSD	G3							
NSD	G4							
NSD	G5							
NSD	G6							
NSD	G7							
NSD	G8							
NSD	G9							
NSD	G10							
NSD	I1							
NSD	I2							
NSD	I3							
NSD	I4							
NSD	I5							
NSD	I6							
NSD	I7							
NSD	I8							
NSD	I9							
NSD	I10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M70484-002		Grid Box #	8668	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	**G. O. Area**
Date of Analysis	7/29/2019		G. O. in microns =	105	105	11025
Initial Weight(g)	0.03048			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	**Average**	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	**G.O.s Counted**	100
3	Screen Magnification	20 KX	**Area Examined mm²**			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS

Org. Sample Wt.	Sample Wt. Post HL Separation	
0.03048	0.03048	g
Percent of Orig. Post Separation	100	(%)

Wt. Of Sample Analyzed	0.00016710	g
Filter size	201.1	mm²
Number of Structures Counted	0	Str.
Structures per Gram of Sample	<5,980	Str./g

Detection Limit	5.98E+03	Str./g
Analytical Sensitivity	5.98E+03	Str./g

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M70484-002		Grid Box #	8668	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	**G.O. Area**
Date of Analysis	7/29/2019		G. O. in microns =	105	105	105
Initial Weight(g)	0.03048			105	105	105
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	**Average**	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	**G.O.s Counted**	100
3	Screen Magnification	20 KX	**Area Examined mm²**			1.103

Str. #	Grid Opening	Str./Asb. Type	Length	Width	Ratio	SAED	EDS
NSD	D3-A2					No fibrous talc observed	

Section 5

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M70484-000		Grid Box #	8668	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	**G. O. Area**
Date of Analysis	7/23/2019		G. O. in microns =	105	105	11025
Initial Weight(g)	N/A			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	**Average**	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	**G.O.s Counted**	100
3	Screen Magnification	20 KX	**Area Examined mm²**			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	A5-A1							
NSD	A2							
NSD	A3							
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	A10							
NSD	B1							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	B10							
NSD	C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M70484-000		Grid Box #	8668	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	**G. O. Area**
Date of Analysis	7/23/2019		G. O. in microns =	105	105	11025
Initial Weight(g)	N/A			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	**Average**	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	**G.O.s Counted**	100
3	Screen Magnification	20 KX	**Area Examined mm²**			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	B5-B1							
NSD	B2							
NSD	B3							
NSD	B4							
NSD	B5							
NSD	B6							
NSD	B7							
NSD	B8							
NSD	B9							
NSD	B10							
NSD	C1							
NSD	C2							
NSD	C3							
NSD	C4							
NSD	C5							
NSD	C6							
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
NSD	D4							
NSD	D5							
NSD	D6							
NSD	D7							
NSD	D8							
NSD	D9							
NSD	D10							
NSD	E1							
NSD	E2							
NSD	E3							
NSD	E4							
NSD	E5							
NSD	E6							
NSD	E7							
NSD	E8							
NSD	E9							
NSD	E10							
NSD	F1							
NSD	F2							
NSD	F3							
NSD	F4							
NSD	F5							
NSD	F6							
NSD	F7							
NSD	F8							
NSD	F9							
NSD	F10							

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M70484-000		Grid Box #	8668	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	**G. O. Area**
Date of Analysis	7/23/2019		G. O. in microns =	105	105	11025
Initial Weight(g)	N/A			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	**Average**	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	**G.O.s Counted**	100
3	Screen Magnification	20 KX	**Area Examined mm²**			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS

Org. Sample Wt.	Sample Wt. Post HL Separation	
N/A	N/A	g
Percent of Orig. Post Separation	N/A	(%)

Wt. Of Sample Analyzed	N/A	g
Filter size	201.1	mm²
Number of Structures Counted	0	Str.
Structures per Gram of Sample	N/A	Str./g

Detection Limit	N/A	Str./g
Analytical Sensitivity	N/A	Str./g

TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M70484-000		Grid Box #	8668	No. of Grids Counted	2
Analyst:	Jayme Callan			Length	Width	**G.O. Area**
Date of Analysis	7/23/2019		G. O. in microns =	105	105	105
Initial Weight(g)	N/A			105	105	105
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	**Average**	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	1%	**G.O.s Counted**	100
3	Screen Magnification	20 KX	**Area Examined mm²**			1.103

Str. #	Grid Opening	Str./Asb. Type	Length	Width	Ratio	SAED	EDS
NSD	A5-A1					No fibrous talc observed	